Near-surface Geophysics

hergarten.at/19S/Geophysics

Institut für Geo- und Umweltnaturwissenschaften

Geophysics Lab

Albert-Ludwigs-Universität Freiburg

Jakob Wilk - jakob.wilk@geologie.uni-freiburg.de

Institute of Earth and Environmental Sciences

Room: 01 008

Introduction

Further Reading

Books: Main Fields of Geophysics

- Reynolds (2011): An Introduction to Applied and Environmental Geophysics.
 Wiley-Blackwell.
- Telford, Geldard and Sheriff (2010): Applied Geophysics. Cambridge University Press.
- Burger, Sheehan and Jones (2006): Introduction to Applied Geophysics. Norton & Company.


MATLAB Recipes

Traut (2010): Matlab Recipes for Earth Sciences. Springer.

Additional scripts: Seismology

 Fundamentals of Ray Tracing by Rick Aster (2011): http://www.ees.nmt.edu/outside/courses/GEOP523/Docs/rays.pdf


Introduction




Introduction

Field exercise







- Wutach or Münstertal Valley
- 2 days / ~ June
- 4 groups / 2 per day

Basic Terms

Disciplines of Geophysics

Investigation of the physical properties and processes related to the earth:

Solid earth: General geophysics

Hydrosphere: Oceanography, hydrology

Atmosphere: Meteorology, aeronomy

Geophysical Methods

Exploration of the subsurface (from the surface to the core) by measuring fields (e.g., gravity field, magnetic field)

- · at the surface,
- in boreholes or
- from air.

Basic Terms

Inversion

- Geophysical measurements provide only indirect information on the subsurface properties.
- Inversion is the construction of a subsurface model from properties (fields) measured at the surface, in boreholes or from airborne systems.

Active and Passive Methods

Passive methods measure and analyze fields which are naturally supplied by the earth and their modification by the subsurface structure.

Active methods generate fields themselves and analyze their modification by the subsurface structure.

Basic Terms

Applied Geophysics

Application of geophysical methods in areas of relevance outside geophysical fundamental research, e.g.,

- · exploration of resources
- groundwater
- residual waste
- archaeology
- mass movements

Types of Fields

Classification according to the Number of Field Components

Classification according to the number of field components:

Scalar fields, e. g., temperature, pressure

Vector fields, e. g., gravity, electric field, magnetic field

Classification according to the Type of "Propagation"

Potential fields, e. g., gravity, described by elliptic differential equations.

Diffusive fields, e. g., temperature, described by parabolic differential equations.

Wavefields, e. g., seismic waves, described by hyperbolic differential equations.

Geothermics

Measurement of temperatures and thermal conductivities.



Passive Method

Radiometry

Measurement of the radiation of radioactive materials.



Passive Method

Seismology and Seismics

Propagation of mechanic waves in the subsurface

Seismology: Theory of wave propagation, exploration of the earth's interior with the help of seismic waves originating from earthquakes.



Passive method

- Has provided the majority of our knowledge in the earth's interior.
- Rather fundamental research than applied geophysics.

Seismics: Exploration of the subsurface by means of artificial seismic waves (hammer stroke, weight dropping, explosives, vibration)



Active method

Seismics




alternatives – Weight drop (thumper), Dinoseis (explosion of propan-air mixture), Geoflex (explosive cable), earth-temperer

Vibroseis (source: Wikipedia)








Seismics

Sonic Log - Vertical Seismic Profiling (VSP)



Geoelectrics

DC geoelectrics (resistivity methods): Current is transmitted through the subsurface, and differences in the electric potential (voltage) are measured.



Active method

- Target property: Electrical conductivity or resistivity
- Conduction in porous media is governed by electrolytes in the porewater.



Perhaps the most important geophysical method in subsurface hydrology.

Geoelectrics

Induced polarization (IP): Measure the effect of switching the current on and off.



Active method

Sensitive to the presence of some ores and clay minerals.

Spontaneous potential (self-potential, SP) method: Measurement of naturally occurring electric potential differences.





Passive method


Exploration of ore and graphite deposits and residual waste.

Geoelectrics

Electric Resistivity / Induction LogsFMI / FMS (Formation Microlmager/Scanner)








Geoelectrics

Electric Resistivity / Induction Logs
 FMI / FMS (Formation Microlmager/Scanner)



Electromagnetic Methods

Interaction of time-dependent electric and magnetic fields:

Low frequencies: Electromagnetic induction

High frequencies: Electromagnetic waves

Touchless field generation and reception by conductor loops, coils or antennas is possible



Particularly useful for airborne systems.

Frequency-domain methods: Long, sine-shaped signals

Time-domain methods: Short pulses

Electromagnetic Methods

Very low frequency (VLF) method: Uses electromagnetic waves of existing powerful radio transmitters.



Passive (or parasitical?) Method

Magnetotellurics: Simultaneous measurement of electric and magnetic fields. Analyze the reaction of the electric field to changes in the earth's magnetic field.




Electromagnetic Methods

Ground-Penetrating Radar (GPR): Submits pulses of electromagnetic waves in the microwave band (about 1GHz) and records waves reflected at discontinuities.



Active Method

- High spatial resolution for the price of low penetration depth.
- Detects discontinuities in solids as well as sudden changes in water saturation.
- Main applications: Residual waste, ground investigation, archaeology, detection of land mines, groundwater exploration.




Geomagnetics


Measurement of the earth's magnetic field and its modification by the subsurface structure.



Passive method


- Target property: magnetic susceptibility
- Prospection and exploration of ore deposits
- Detection of residual waste
- Support of geological mapping
- Application is in principle simple, but is often disturbed by temporal variations of the earth's magnetic field.






Geomagnetics

• Magnetic susceptibility - as non in-situ method





Gravimetry

Exploration of the earth's natural gravity field



Passive method

- Detection of excess mass of mass deficits in the subsurface.
- Very important for the exploration of resources (mainly heavy ores) and for investigating the deeper interior of the earth.
- Also very important in geodesy, e.g., the geoid or changes in surface elevation through time.
- Also suitable for the investigation of large-scale groundwater phenomena.

